

Review began 04/27/2023

Review ended 05/17/2023

Published 05/23/2023

© Copyright 2023

Buholayka et al. This is an open access article distributed under the terms of the Creative Commons Attribution License CC-BY 4.0., which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

# The Readiness of ChatGPT to Write Scientific Case Reports Independently: A Comparative Evaluation Between Human and Artificial Intelligence

Maryam Buholayka<sup>1, 2</sup>, Rama Zouabi<sup>1</sup>, Aditya Tadinada<sup>1</sup>

<sup>1</sup>. Oral and Maxillofacial Radiology, University of Connecticut Health, Farmington, USA <sup>2</sup>. Department of Biomedical Sciences, Imam Abdulrahman Bin Faisal University, Dammam, SAU

**Corresponding author:** Maryam Buholayka, buholayka@uchc.edu

---

## Abstract

The use of artificial intelligence (AI) in scientific publishing has gained increased attention, and one AI tool that has been the subject of much discussion is ChatGPT. It is a large language model (LLM) built on the OpenAI platform that aims to emulate human-like writing and continually improves through user interactions. In this paper, ChatGPT's performance was assessed in medical publishing by comparing it to a case report written by oral and maxillofacial radiologists. ChatGPT was tasked with writing a case report based on a drafted report written by the authors in five different prompts. The findings of this study highlight issues related to the accuracy, completeness, and readability of the generated text. These results have significant implications for the future use of AI in scientific publishing and suggest that in the current iteration of ChatGPT, scientific information must be revised by an expert.

---

**Categories:** Medical Education, Healthcare Technology, Other**Keywords:** scientific writing and artificial intelligence, artificial intelligence, artificial hallucination, case report, chatgpt

## Introduction

The incorporation of artificial intelligence (AI) into scientific writing has been a point of discussion with regards to reviewing, editing, and saving time [1]. Advancements in AI have led to the development of machine learning (ML) algorithms that enable decision-making or predictions based on patterns within large datasets [2]. A specific type of ML algorithm is neural networks, which are proficient in recognizing complex patterns [3]. Large language models (LLMs) are new advancements of neural networks that can create algorithms that are probability text responders [4]. One of the present-day's most popular LLMs is ChatGPT, which was developed by OpenAI, based on the Generative Pre-trained Transformer (GPT) 3.5 architecture [5]. It is an LLM that aims to emulate human-like writing and continually improves through user interactions. ChatGPT has been trained on a vast corpus of text to understand and generate natural language, making it capable of responding to a wide range of questions and prompts in a conversational manner. With over 175 billion parameters, ChatGPT is currently one of the largest LLMs available, enabling it to produce sophisticated and nuanced responses [6]. One study has looked into the possible applications of ChatGPT in health, education, and research and found that it can be a useful tool to aid in the scientific writing process [2]. Due to the recent widespread use of ChatGPT, this paper aims to explore ChatGPT's ability to write a full scientific case report.

## Technical Report

OpenAI's ChatGPT was used to compare its ability to generate a case report suitable for publication in the Cureus Journal of Medical Science with a case report extensively drafted by two oral and maxillofacial radiologist trainees (Figure 1).

### How to cite this article

Buholayka M, Zouabi R, Tadinada A (May 23, 2023) The Readiness of ChatGPT to Write Scientific Case Reports Independently: A Comparative Evaluation Between Human and Artificial Intelligence. Cureus 15(5): e39386. DOI 10.7759/cureus.39386

A 65-year-old female presented to the Oral and maxillofacial Surgery clinic in UCONN School of Dental Medicine experiencing pain in her left mandibular area. After a comprehensive clinical examination, a panoramic radiograph was acquired. The panoramic radiograph showed a fairly well-defined radiolucent lesion located in the apical area of teeth #19, 20, 21, and 22. No displacement of teeth or expansion was obvious. Slight thinning of the endosteal surface of the inferior cortical border of the mandible was seen. The exact effect on the inferior alveolar canal could not be assessed on the panoramic image. To further evaluate the lesion, a cone-beam computed tomography (CBCT) scan was performed using a Hitachi CB MercuRay CBCT machine (Hitachi Medical Systems, Kyoto, Japan) with a 9-inch field of view (FOV). The scan was acquired with exposure parameters of 120 kVp and 15 mA.

The CBCT scan showed a well-defined radiolucent lesion with a "honeycomb" appearance. Expansion of the buccal plate and thinning of the lingual plate was observed. The inferior alveolar canal was leading up to the lesion but was not traceable within the lesion. There were distinct bony spicules with thinning of the endosteal surface. The radiolucency of the internal structure is isodense to the soft tissue and presents numerous fine septations. Based on the CBCT examination, a radiographic differential diagnosis of a vascular lesion was considered along with a less likely chance of it being an odontogenic myxoma or an ameloblastoma. Since vascular lesions were considered in the differential, a digital (hand) examination was done to palpate the lesion. Furthermore, a stethoscope was used to observe any pulsatility or bruit. Auscultation revealed a faint bruit confirming the radiographic impression of a vascular lesion.

The patient was referred for contrast angiography and MRI examination. Contrast angiography showed mild arterial expansion in the

region. T1 with and without gadolinium contrast (15 mL Multihance IV) were obtained in axial and coronal planes. T2 weighted images were obtained in axial, sagittal, and coronal planes. Additionally, a T1 weighted image with fat suppression and after contrast injection was obtained in the sagittal plane. The imaging findings indicated the presence of a distinct mass of soft tissue in the left mandible, measuring 2.1 x 2.5 x 2.5 cm (Mediolateral x Anteroposterior x Craniocaudal), which suggests a central hemangioma. The mass was in contact with the lingual cortex of the mandible without obvious erosion, and it extended through the buccal cortex in the area of the mental foramen. The findings were consistent with a central hemangioma of the mandible. Contrast angiography was performed to locate the feeder vessel by using iodine-based contrast. The patient underwent surgical excision and osseous reconstruction.

When people hear the word hemangioma, they often picture a child with a strawberry-like nevus on their skin. However, hemangiomas are actually benign tumors consisting of blood vessels that can develop in any part of the body. While hemangiomas on the skin are most common in young children, hemangiomas of the bone are less frequent. When these tumors do appear in bones, they are intraosseous vascular malformations that may resemble other types of lesions. Hemangiomas of bone typically arise in the skull or spine and are more likely to occur in individuals between the ages of 50 and 70. Symptoms may take several months to manifest and can include a painless, bony swelling that is firm to the touch, facial asymmetry, and pulsation. (1) When it comes to clinical findings seen with central hemangiomas, although there are no characteristic signs, there is a common finding which is the presence of a firm, non-painful, bony swelling that sometimes can be associated with a pulsating sensation or throbbing discomfort. (1)

The challenges faced by the radiologists/clinicians when diagnosing central hemangiomas is that this lesion can develop in a variety of shapes, patterns, and locations. (1) The periphery of this lesion can show well-defined or ill-defined corticated areas with scalloped margin. It can have a variable degree of radiolucency that either gives a unilocular or multilocular appearance or may give a sunburst or tennis racket appearance. (2) Careful evaluation of radiographs is therefore emphasized for detection of such lesions. (1)

In this case, the patient was treated by surgical excision and osseous reconstruction. Central hemangiomas can be managed with several approaches depending on the size and location of the lesion, patient age, and expected complications. (3) These approaches include irradiation, injection of sclerosing agents, cryotherapy, embolization, and surgery. (3) Central hemangiomas should be treated without delay because trauma to the region may disrupt the arterial blood, which is under high pressure. When suspecting vascular lesions like a central hemangioma, a good practice is auscultation of the area to feel and listen for a bruit prior to doing a biopsy or aspiration as it can often be lethal.

References:

1. Central Hemangioma: An Overview and Case Report  
Nikhil Marwah, MDS1 Archana Agnihotri, BDS2 Samir Dutta, MDS
2. Central cavernous hemangioma of mandible: Case report and review of literature.  
Neeraj Kumar Dhiman, Chandresh Jaiswara, Naresh Kumar, Shashikant C. U. Patne1, Arun Pandey, Vishal Verma
3. Central hemangioma of the mandible  
Kirby Bunel, DDS,a and Steen Sindet-Pedersen, DDS, DIWS,~ Aarhus, Denmark\*

FIGURE 1: Case report

The case report draft was written by two oral and maxillofacial radiologist trainees. The case report was reviewed by a board-certified oral and maxillofacial radiologist and was used as the basis of the experiment conducted.

The drafted case report discussed a central hemangioma in a 65-year-old female and focused on the imaging features seen in a panoramic radiograph, cone beam computed tomography (CBCT), and magnetic resonance imaging (MRI).

ChatGPT was prompted in five separate chats. The format of the first question was structured depending on the outcome of the previous chat (Table 1).

Chat number	Case report provided	Deviation	Target audience	Imaging parameters/ technique	Key findings
1	Yes	Not specified	Not specified	Not specified	Inaccurate final diagnosis
2	Yes	No	Not specified	Not specified	Failure to comprehend patient confidentiality
3	Yes	No	Medical and dental radiologists	Not specified	Conversation discontinuity
4	Yes	No	Medical and dental radiologists	CBCT and MRI*	Subsection on limitations
5	No	No	Medical and dental radiologists	CBCT and MRI*	Fabricated references

TABLE 1: Summary of ChatGPT conversations and key findings

Based on the original prompt of “Could you write a better case report to be published in the Cureus Journal of Medical Science using the following text as a guideline:...” with additional variations such as not deviating from the original text, specifying an intended target audience and keeping the imaging parameters. Overall key findings of the conversations with the chatbot are also noted in the table.

CBCT: cone beam computed tomography; MRI: magnetic resonance imaging

The subsequent question for all, excluding the fifth chat, was the same: “What were the changes made?” A series of follow-up questions were then asked according to the generated responses.

In a fifth conversation, the authors asked ChatGPT to generate a case report based only on the presentation of the case and the final diagnosis, without any additional information about the disease. The differential diagnosis was removed to test ChatGPT's ability to generate its own. Additionally, ChatGPT was prompted to generate references for the information it provided.

## Discussion

### Chat one

The ChatGPT-generated case report was rudimentary and contained new, inaccurate information. When ChatGPT was asked about the changes made, it stated that they “included a reference section for further reading”. However, no new references were added, nor did ChatGPT provide the original citations. ChatGPT fabricated the patient's clinical presentation and stated that this was done as “a hypothetical example of how a doctor might use the information to make a diagnosis.”

ChatGPT was then prompted not to deviate from the original text, and it generated a new case report. ChatGPT changed the patient's gender, presentation, sequence of events, and even the final diagnosis of the case. The chatbot responded that it was creating a “hypothetical” case report when asked why the final diagnosis was altered. ChatGPT never indicated that it was generating a “hypothetical” case; it even stated “Sure, here is another case report based on the same information”. ChatGPT tried to point out the original case report's information with a summary of another new case: “To be clear, the original case presented in your question involved a 45-year-old female patient who presented with shortness of breath and chest pain and was diagnosed with pulmonary embolism.”

While the current iteration of ChatGPT is designed to retain the details discussed during a conversation, as evidenced in this paper, its ability to do so may be limited. For instance, the chat's attribution of the original case to a pulmonary embolism.

### Chat two


The second chat contained even less information compared to the previous conversation. ChatGPT gave a similar answer to the first chat in response to “What were the changes made?” It claimed that the original text lacked details and structure. When asked about the absence of the imaging parameters and lesion dimensions in the report, the chatbot replied that it does not “create or modify specific reports” continuing to state that “it is important to ensure patient confidentiality and privacy.” This response highlights the ChatGPT's limitation in differentiating between general and confidential medical information.

To obtain a more precise response, ChatGPT was asked, “What was the reason for removing the following information:...” and included the exact sections of the original text that were omitted. The chatbot denied removing information and only provided “a hypothetical scenario to illustrate the importance of selecting appropriate information when creating a case report”. This example further demonstrates ChatGPT's limited ability to comprehend complex commands.

### Chat three

During the third chat, ChatGPT's generated case report contained more detailed information regarding the lesion's dimensions. However, the chatbot stopped abruptly before concluding the report and had to be prompted with the “regenerate response” button. Unfortunately, the regenerated report was also incomplete, contained fewer details, and omitted the lesion's dimensions. When asked to complete the report, ChatGPT provided a new, shorter case report.

A key difference in the third chat was the response to “What were the changes made?” ChatGPT seemed to have lost the continuity of the conversation thread by stating “I do not have access to the specific changes made to the case report without additional information”. This was significant since a key feature of ChatGPT is the ability to remember all the points discussed in a chat. It could be speculated that the use of the “regenerate response” button may have contributed to the discontinuity of the conversation. Nevertheless, ChatGPT still tried to answer the question and provided general information on editing case reports. When asked for the reasons it could lose the continuity of a conversation, the chatbot provided an explanation (Figure 2).



#### Chat four

To obtain more detailed information about the imaging modalities, the authors prompted ChatGPT to retain the cone beam computed tomography (CBCT) parameters and MRI techniques. However, ChatGPT only provided the brand of the CBCT machine and did not include any further details. Additionally, the chatbot failed to generate a complete report on the first attempt, and the authors had to prompt it to finish the case. The regenerated report included a new subsection on limitations, which highlighted important shortcomings in the scientific publication.

When asked about the changes made to the report, ChatGPT claimed that it had expanded on the differential diagnosis and rationale for the selected management of the hemangioma. However, this assertion was found to be untrue, which raises concerns about ChatGPT's ability to comprehend the essence of the inquiry and provide accurate information.

#### Chat five


The case report generated was inadequate, reinforcing that ChatGPT is incapable of producing an original, scientific paper even when presented with key information. When asked to provide potential diagnoses for the lesion, the chatbot listed five possibilities: ameloblastoma, central giant cell granuloma, osteosarcoma, fibrous dysplasia, and metastatic cancer. However, these diagnoses lacked any analytical ability; for instance, the presence of bony spicules would rule out fibrous dysplasia, and the well-defined nature of the lesion would not support malignancy.

Furthermore, when prompted to provide references, the chatbot provided the digital object identifier (DOI) of the source. However, upon further investigation, it was revealed the DOIs were falsified. This phenomenon was not unique to this paper [7,8] and is known in the world of AI as "artificial hallucination" [9]. Artificial hallucination is defined as "generated content that is nonsensical or unfaithful to the provided source content" [10]. This occurrence is concerning not only for scientific writing but for all possible applications of this technology, and the ability to identify falsified information can vary based on the user's level of familiarity or proficiency with the presented information.

#### Overall discussion

One of the main requirements asked of ChatGPT was to adhere to the guidelines of the Cureus Journal of Medical Science. However, there were inconsistencies in the formulated reports, but one commonality was that all the cases lacked references. Additionally, ChatGPT's omission of technical information, despite emphasizing the target audience as professionals, along with the fabrication of sources in chat five, is a

concerning finding. It is worth noting that OpenAI incorporated a disclaimer in all chat windows, warning users that the AI may produce incorrect, outdated, or biased information (Figure 3).



**FIGURE 3: ChatGPT homepage**

Screenshot from current free version of ChatGPT (<https://chat.openai.com>) as of March 23, 2023 highlighting its limitations.

The use of AI in scientific writing raises an ethical question: "Should ChatGPT be acknowledged, cited, or listed as an author?". The International Center for Academic Integrity defines academic integrity as a commitment to six fundamental values: honesty, trust, fairness, respect, responsibility, and courage [11]. Damian O. Eke argues that using information provided by an AI and presenting it as original work is a breach of academic integrity [12]. Additionally, certain journals have chosen not to credit ChatGPT as an author due to many concerns, including copyright, transparency, bias, plagiarism, lack of originality, incorrect citations, and cybersecurity [2].

Interacting with ChatGPT highlights the potential of LLM AIs in the medical field. However, ChatGPT is not an LLM that was designed for scientific publishing. ChatGPT is designed to maintain an uninterrupted conversation flow, even if it requires "hallucinating" a response. Although ChatGPT can remember conversation details, as seen in chat three, its effectiveness may be limited. To have a legitimate LLM for scientific publishing, the algorithm would need to be trained specifically for that task. The AI would need a deep understanding of the terminology, structure, and requirements of the field. To ensure the accuracy and validity of the generated content, the AI would require access to a reliable and diverse database of sources. While the current version of ChatGPT has limited knowledge of information beyond 2021 (Figure 3), a scientific publishing AI would have access to up-to-date, accurate scientific journals and databases and be able to provide accurate citations.

## Future directions

ChatGPT, along with other LLM models, is proposed to gain significant knowledge and robustly grow its conversational skills based on the increasing number of users and the variety of topics being discussed. While at the present time, ChatGPT does not appear to be very reliable or independently capable of writing scientific case reports, it is highly likely that it can meaningfully complement scientific writing in the near future. Similar studies with varying scientific topics must be done in the future to test the reliability of this platform for contributing to independent scientific writing.

## Conclusions

In this study, ChatGPT was found to be inadequate in generating scientifically accurate case reports, as it produced reports with critical flaws such as incorrect diagnoses and fabricated references. Although ChatGPT was useful for reviewing grammar and punctuation and providing synonyms and alternate phrasing, these tasks are commonly performed by grammar software. For the time being, it is recommended that scientific information generated by ChatGPT be closely scrutinized by experts before being considered reliable. While the findings of this paper are limited to ChatGPT, it is crucial to fully understand the

strengths and limitations of AI as well as the ethical considerations associated with its integration into academic writing.

## Additional Information

### Disclosures

**Human subjects:** All authors have confirmed that this study did not involve human participants or tissue.

**Animal subjects:** All authors have confirmed that this study did not involve animal subjects or tissue.

**Conflicts of interest:** In compliance with the ICMJE uniform disclosure form, all authors declare the following: **Payment/services info:** All authors have declared that no financial support was received from any organization for the submitted work. **Financial relationships:** All authors have declared that they have no financial relationships at present or within the previous three years with any organizations that might have an interest in the submitted work. **Other relationships:** All authors have declared that there are no other relationships or activities that could appear to have influenced the submitted work.

### Acknowledgements

The authors would like to acknowledge the use of ChatGPT (OpenAI LP, OpenAI Inc., San Francisco, California, USA) in improving the grammar, punctuation, and overall clarity of the scientific paper.

## References

1. Ortega-Loubon C, Culquichicón C, Correa R: The importance of writing and publishing case reports during medical training. *Cureus*. 2017, 9:e1964. [10.7759/cureus.1964](https://doi.org/10.7759/cureus.1964)
2. Sallam M: ChatGPT utility in healthcare education, research, and practice: systematic review on the promising perspectives and valid concerns. *Healthcare (Basel)*. 2023, 11:887. [10.3390/healthcare11060887](https://doi.org/10.3390/healthcare11060887)
3. Choi RY, Coyner AS, Kalpathy-Cramer J, Chiang MF, Campbell JP: Introduction to machine learning, neural networks, and deep learning. *Transl Vis Sci Technol*. 2020, 9:14.
4. Luitse D, Denkena W: The great transformer: examining the role of large language models in the . *Sage Journals*. 2021, 8:205395172110477. [10.1177/20539517211047734](https://doi.org/10.1177/20539517211047734)
5. Overview. (2022). Accessed: April 6, 2023: <https://platform.openai.com/docs/models/overview>.
6. Brown T, Mann B, Ryder N, et al.: Language models are few-shot learners. *NIPS'20: Proceedings of the 34th International Conference on Neural Information Processing Systems*. H. Larochelle, M. Ranzato, R. Hadsell, M.F. Balcan, H. Lin (ed): Curran Associates Inc., Red Hook, NY, United States; 2020. 27:1877-1901.
7. Le DP, Hall SC: Medical literature writing with ChatGPT: a rare case of choriocarcinoma syndrome with hemorrhagic brain metastases due to burned out metastatic mixed testicular cancer. *Cureus*. 2023, 15:e36655. [10.7759/cureus.36655](https://doi.org/10.7759/cureus.36655)
8. Manohar N, Prasad SS: Use of ChatGPT in academic publishing: a rare case of seronegative systemic lupus erythematosus in a patient with HIV infection. *Cureus*. 2023, 15:e34616. [10.7759/cureus.34616](https://doi.org/10.7759/cureus.34616)
9. Alkaissi H, McFarlane SI: Artificial hallucinations in ChatGPT: implications in scientific writing . *Cureus*. 2023, 15:e35179. [10.7759/cureus.35179](https://doi.org/10.7759/cureus.35179)
10. Ji Z, Lee N, Frieske R, et al.: Survey of hallucination in natural language generation . *ACM Comput Surv*. 2023, 55:1-38. [10.1145/3571730](https://doi.org/10.1145/3571730)
11. Fundamental Values. (2023). Accessed: April 6, 2023: <https://academicintegrity.org/resources/fundamental-values>.
12. Eke DO: ChatGPT and the rise of generative AI: threat to academic integrity? . *Journal of Responsible Technology*. 2023, 55:1-38. [10.1016/j.jrt.2023.100060](https://doi.org/10.1016/j.jrt.2023.100060)